





RUBBERCOMP SPRAY



COVERAGE



WIDE SPRAY
NOZZLE


FLEXIBLE



PEELS OFF SUR-
FACE

RUBBERCOMP® is a multi-purpose, air drying specialty rubber coating. It can be easily applied by spraying. It protects coated items against moisture, acids, abrasion, corrosion, and skidding /slipping, and provides a comfortable, controlled grip. RUBBERcomp® remains flexible and stretchy over time and will not crack or become brittle in extreme weather conditions. It has been tested and proven in temperatures from -30°C to +90°C. Easy to peel off. Around four paint layers needed for adequate film thickness. The neon colors have no UV-protection.

MATERIAL



METAL



BRICK



PLASTIC



GLASS


RUBBER TO
1K STOP


CARDBOARD



WICKER



RUBBER


NOT STYRO-
FOAM


IN AND OUT

BINDER: Rubber

DEGREE OF GLOSS (DIN 67530 60 °):

matt 0-25 gloss units

satin 35-50 gloss units

gloss 80-100 gloss units

HEAT RESISTANCE: 90°C

STORAGE STABILITY: 60 months

SIZE: 400ml

SALES QTY:

400ml: 6 pcs , 0 pcs

USAGE INSTRUCTIONS:

Instructions:

Clean the surface of oils, grease, dirt, wax and loose rust. Shake the spray can well before use. Spray a small test patch on an invisible area. Previously painted surfaces with 1-component paintsmight react with RUBBERcomp®. Spray several thin layers. 4 paint layers are needed for adequate film thickness. Let the surface dry about 10-20 min. between each layer. Thicker layers will take longer to dry. Clean the nozzle by spraying the can upside down for approx. 3-4 seconds. Wipe off any excess paint from nozzle if necessary.

RECOAT:

always, 15 minutes in between layers


HARDNESS



USE PRIMER



SHAKE


15CM
SPRAY DISTANCE

15 MIN
TIME BETWEEN LAY-
ERS

4 LAYERS
LAYERS

CLEAN
CLEAN

2 H
TOUCH DRY

24 H
FINAL DRYING

SOLVENT BASED RUBBER
SOLVENT BASED

MASTON RUBBERcomp Spray

Art. No.	MASTON RUBBERcomp Spray	Color	Barcode
198050			6412490027421
198120	Spray RUBBERcomp Camo green matt 400ml		6412490028664
198110	Spray RUBBERcomp Camo beige matt 400ml		6412490029265
198160	Spray RUBBERcomp Camo brown matt 400ml		6412490028671
191210	Spray RUBBERcomp Black matt 400ml		6412490027346
199970	Spray RUBBERcomp Gun metal grey 400ml		6412490027445
191215	Spray RUBBERcomp Black 400ml		6412490027353
196170	Spray RUBBERcomp Neon orange 400ml		6412490027391
196220	Spray RUBBERcomp Neon red 400ml		6412490028657
196200	Spray RUBBERcomp Neon green 400ml		6412490027407
198210			6412490037857
193350	Spray RUBBERcomp Smoke grey 400ml		6412490027384
198030	Spray RUBBERcomp Blue 400ml		6412490027414
192220	Spray RUBBERcomp White 400ml		6412490027360
199980	Spray RUBBERcomp Wheel silver high gloss 400ml		6412490027452
193320	Spray RUBBERcomp Transparent high gloss 400ml		6412490027377
193310	Spray RUBBERcomp Transparent matt 400ml		6412490028336
191215-EU	Spray RUBBERcomp Black 400ml		6412490034146
191210-EU	Spray RUBBERcomp Black matt 400ml		6412490034139
198030-EU	Spray RUBBERcomp Blue 400ml		6412490036089
198110-EU	Spray RUBBERcomp Camo beige matt 400ml		6412490037284
198160-EU	Spray RUBBERcomp Camo brown matt 400ml		6412490037307
198120-EU	Spray RUBBERcomp Camo green matt 400ml		6412490037291
199970-EU	Spray RUBBERcomp Gun Metal Grey 400ml		6412490036102

Art. No.	MASTON RUBBERcomp Spray	Color	Barcode
196200-EU	Spray RUBBERcomp Neon Green 400ml		6412490036416
196170-EU	Spray RUBBERcomp Neon Orange 400ml		6412490036409
196220-EU	Spray RUBBERcomp Neon red 400ml		6412490037260
198050-EU	Spray RUBBERcomp Red 400ml		6412490036096
198210-EU	Spray RUBBERcomp Rust effect matt 400ml		6412490040062
193350-EU	Spray RUBBERcomp Smoke 400ml		6412490037253
193320-EU	Spray RUBBERcomp Transparent high gloss 400ml		6412490036072
193310-EU	Spray RUBBERcomp Transparent matt 400ml		6412490037246
199980-EU	Spray RUBBERcomp Wheel silver high gloss 400ml		6412490034160
192220-EU	Spray RUBBERcomp White 400ml		6412490034153
198010-EU	Spray RUBBERcomp Yellow 400ml		6412490037277